DELPHON

(JP07502515T2)

Log Out Work Files Saved Searches

I TO SECTION My Account

Search: Quick/Number Boolean Advanced Derwent

Help

Stop Tracking

Select CR

No active trail

Resolution

Tools: Add to Work File: Create new Work File Go to: Derwent Other choices Buy Now: PDF | File History | do View: Jump to:

The Delphion Integrated View: INPADOC Record

Email this to a friend

Add

JP07502515T2: Title: Stabilised compsn. of growth hormone contg. asparagine - for storing at room temp. for 1 month in Derwent Title:

lyophilised form and as soln. [Derwent Record]

JP Japan T2 Country:

see Assignee Inventor: None Assignee: 1995-03-16 / 1992-12-16 Published / Filed:

Number:

JP1992000511360T Application Advanced: A61K 9/08; A61K 31/195; A61K 38/27; A61K 47/18; A61K 47/42; IPC Code:

PC-7: A61K 9/08; A61K 31/195; A61K 38/27; A61K 47/42; Core: A61K 31/185; A61K 47/16; more...

None ECLA Code: 1992-12-16 WO1992DK0000378 1991-12-20 DK199100002047 * Priority Number:

Buy Now: Family Legal Status Report None

INPADOC Legal Status:

AT BE CH DE ES FR GB GR IE IT LI LU NL PT SE BG BR CA CS JP KP KR NZ OA PL RO RU UA Designated

Country:

Title	
Assignee	NOVO
Filed	
Pub. Date	
Publication	
Buy PDF	
Family:	

₩.	WO9312811A1	1993-07-08	1992-12-16	NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE
A	0.85977.069	1999-11-02	1992-01-28	Novo Nordisk A/S	Pharmaceutical formulation
4	US5851992	1998-12-22	1995-06-06	Novo Nordisk A/S	Treatment of growth hormone deficiency
Z	SK0073794A3	1995-03-08	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE
Z	RU2098130C1	1997-12-10	1994-06-17	NOVO NORDISK AS	NOVO GROWTH HORMONE PHARMACEUTICAL PREPARATION NORDISK AS AND ITS STABILIZING AGENT
回	RO0112086B1	1997-05-30	1992-12-16	NOVO NORDISK AS	PREPARED PHARMACEUTICAL COMPOSITIONS WHICH CONTAIN RAISING HORMONES OR THEIR DERIVATE
区	NZ0246555A	1996-03-26	1992-12-16	NOVO NORDISK AS	PHARMACEUTICAL COMPOSITION CONTAINING A GROWTH HORMONE AND ASPARAGINE
D	NO0942299A0	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabilisert, farmasöytisk preparat som omfatter veksthormon og asparagin
囚	NO0942299A	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabilisert, farmasöytisk preparat som omfatter veksthormon og asparagin
D	KR0270726B1	2000-11-01	1994-06-20	NOVO NORDISK AS	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE.
国	JP07502515T2	1995-03-16	1992-12-16		
区	JP03662580B2	2005-06-22	1992-12-16		
亙	HU9401831A0	1994-09-28	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL FORMULATIONS COMPRISING GROWTH HORMONE AND ASPARAGINE
区	HU0069682A2	1995-09-28	1992-12-16	NOVO NORDISK AS	PROCESS FOR PRODUCING STABILIZED PHARMACEUTICAL FORMULATIONS COMPRISING GROWTH HORMONE AND ASPARAGINE
区	F10942905A0	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabiloitu kasvuhormonia ja asparagiinia sisältävä farmaseuttinen formulointi
Z	F10942905A	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabiloitu kasvuhormonia ja asparagiinia sisältävä farmaseuttinen formulointi
4	EP0618806B1	1999-03-17	1992-12-16	NOVO NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE
A	EP06.18806A1	1994-10-12	1992-12-16	NOVO NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE
亙	DK0204791A0	1991-12-20	1991-12-20	NOVO NORDISK AS	HIDTIL UKENDT FARMACEUTISK PRAEPARAT
			_		

09/02/2010

Z	DE69228704T2 1999-09-16 1992-12-16 NOVO	1999-09-16	1992-12-16	NOVO NORDISK AS	NOVO STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, NORDISK AS DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
	DE69228704C0 1999-04-22 1992-12-16	1999-04-22		NOVO NORDISK AS	NOVO STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, NORDISK AS DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
亙	CZ9401458A3	1994-12-15	1994-12-15 1992-12-16 NOVD	SK AS	STABILIZED PHARMACEUTICAL PREPARATION CONTAINING GROWTH HORMONE AND ASPARAGIN, AND THE USE OF SUCH PHARMACEUTICAL PREPARATION
B	CZ0282826B6	1997-10-15	1992-12-16	7-10-15 1992-12-16 NORDISK AS	STABILIZED PHARMACEUTICAL PREPARATION CONTAINING GROWTH HORMONE AND ASPARAGIN, AND THE USE THEREOF
亙	CA2125856AA	1993-07-08	3-07-08 1992-12-16	NOVO NORDISK AS	NOVO A STABILIZED PHARMACEUTICAL FORMULATION NORDISK AS COMPRISING GROWTH HORMONE AND ASPARAGINE
亙	BG0098804A	1995-02-28	5-02-28 1994-05-30	NOVO NORDISK AS	NOVO STABILIZED PHARMACEUTICAL FORM CONTAINING NORDISK AS GROWTH HORMONE AND ASPARAGIN
回	V AU3344593A1	1993-07-28	3-07-28 1992-12-16	NOVO NORDISK AS	NOVO A stabilized pharmaceutical formulation comprising growth NORDISK AS hormone and asparagine
回	V AU0664416B2	1995-11-16	5-11-16 1992-12-16	NOVO NORDISK AS	NOVO A stabilized pharmaceutical formulation comprising growth NORDISK AS hormone and asparagine
亙	M AT0177645E	1999-04-15	1999-04-15 1992-12-16	NOVO NORDISK AS	NOVO STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, NORDISK AS DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
5	28 family members shown above	s shown abov	,e		

Other Abstract CHEMABS 119(10)103376G <u>DERABS C93-227056</u>





Nominate this for the Gallery...

54150 JR 8058050

Powered by Verity

Capyright © 1997-2010 Thomson Reuters Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help 09/02/2010

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(31) International Patent	Classification ⁵ :		(11) International Publication Number:	WO 93/1281
A61K 37/36		A1	(43) International Publication Date:	8 July 1993 (08.07.93
(21) International Applicat (22) International Filing D			KR, NO, NZ, PL, RO, RU,	UA, European patent (ATGB, GR, IE, IT, LU, MCGBF, BJ, CF, CG, CI, CM
(30) Priority data: 2047/91	20 December 1991 (20.12	·	K Published With international search repo	
(71) Applicant: NOVO No DK-2880 Bagsvaer	ORDISK A/S [DK/DK]; N d (DK).	NOVO A	e,	
(72) Inventor: SØRENSE nowsvej 21, DK-28	N, Hans, Holmegaard ; Joac 30 Virum (DK).	ehim Ro	n-	
74) Agent: NOVO NORI Allé, DK-2880 Bag	DISK A/S; Patent Departm (svaerd (DK).	ent, No	70	
•				
ASPARAGIN	ED PHARMACEUTICA E	L FOI	MULATION COMPRISING GROV	VTH HORMONE ANI
(57) Abstract	aronarotion comprising a gr	owth h	rmone and asparagine as additive or been generated by the control of the stability of the	uffering substance shows
your high etability against	deamidation exidation and	i cicava ie form	of a dissolved or re-dissolved preparation	product allows for the stor
rang high etability against	deamidation exidation and	i eleava ie form	of a dissolved or re-dissolved preparation	product allows for the stor
and high etability against	deamidation exidation and	i eleava	of a dissolved or re-dissolved preparation	product allows for the stor
and high etability against	deamidation exidation and	i eleava	of a dissolved or re-dissolved preparation	product allows for the stor
and high etability against	deamidation exidation and	i eleava	of a dissolved or re-dissolved preparation	product allows for the stor
rang high etability against	deamidation exidation and	i eleava	of a dissolved or re-dissolved preparation	product allows for the stor
any high etability against	deamidation exidation and	n eicava	of a dissolved or re-dissolved preparation	product allows for the stor
you high etability against	deamidation exidation and	n eicava	of a dissolved or re-dissolved preparation	product allows for the stor
you high etability against	deamidation exidation and	n eicava	of a dissolved or re-dissolved preparation	product allows for the stor
you high etability against	deamidation exidation and	n eicava	of a dissolved or re-dissolved preparation	product allows for the stor

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT AU BB BE BF BC CA CF CC CH CI CM CS CZ DE DK ES FI	Austria Australia Barhados Belgium Burkina Faso Bulgaria Benin Brazil Canada Central African Republic Congo Switzerland Cöte d'Ivoire Cameroon Czechoslovakia Czech Republic Germany Denmark Spain Finland	FR GA GB GN GR HU HE IT JP KP KR LL LK LU MC MG MI MN	France Gabon United Kingdom Guinea Greece Hungary Ireland Italy Japan Democratic People's Republic of Korea Republic of Korea Kazaklistan Liechtenstein Sri Lanka Lucembourg Monaco Madagascar Mali Mongolia	MR MW NL NO NZ PL PT RO SE SK SN SU TD TG UA US VN	Mauritania Malawi Netherlands Norway New Zealand Poland Potand Portugal Rumania Russian Federation Sudan Sweden Stovak Republic Senegal Soviet Union Chad Togo Ukraine United States of America Viet Nam
---	--	---	--	--	--

1

TITLE

A stabilized pharmaceutical formulation comprising growth hormone and asparagine.

FIELD OF THE INVENTION

The present invention relates to a stabilized pharmaceutical 5 formulation comprising growth hormone, to a method of making such formulation, and the use of asparagine for stabilizing a formulation of growth hormone.

BACKGROUND OF THE INVENTION

The growth hormones from man and from the common domestic 10 animals are proteins of approximately 191 amino acids, synthesized and secreted from the anterior lope of the pituitary gland. Human growth hormone consists of 191 amino acids.

Growth hormone is a key hormone involved in the regulation of not only somatic growth, but also in the regulation of meta15 bolism of proteins, carbohydrates and lipids. The major effect of growth hormone is to promote growth.

The organ systems affected by growth hormone include the skeleton, connective tissue, muscles, and viscera such as liver, intestine, and kidneys.

20 Until the development of the recombinant technology and the cloning of the growth hormone gene now giving rise to production of e.g. human growth hormone (hGH) and Met-hGH in industrial scale, human growth hormone could only be obtained by extraction from the pituitary glands of human cadavers. The very limited supplies of growth hormone restricted the use thereof to longitudinal growth promotion in childhood and puberty for treatment of dwarfism, even though it has been proposed for inter alia treatment of short stature (due to growth hormone deficiency, normal short stature and Turner

syndrom), growth hormone deficiency in adults, infertility, treatment of burns, wound healing, dystrophy, bone knitting, osteoporosis, diffuse gastric bleeding, and pseudoarthrosis.

Furthermore, growth hormone has been proposed for increasing 5 the rate of growth of domestic animals or for decreasing the proportion of fat in animals to be slaughtered for human consumption.

Pharmaceutical preparations of growth hormone tend to be unstable. Degradation products such as deamidated or sulfoxy10 dated products and dimer or polymer forms are generated especially in solutions of growth hormone.

The predominant degradation reactions of hGH are 1) deamidation by direct hydrolysis or via a cyclic succinimide intermeadiate to form various amounts of L-asp-hGH, L-iso-asp-hGH, 15 D-asp-hGH, and D-iso-asp-hGH (ref 1-3), 2) oxidation of the methionine residues in positions 14 and 125 (ref 4-9), and 3) cleavage of peptide bonds.

Deamidation especially takes place at the Asn in position 149.

20 hGH is rather easily oxidized in positions 14 and 125, especially in solution (4-8).

The oxidation of hGH in solution forming sulfoxides is normally due to the oxygen dissolved in the preparation. The solubility of oxygen in distilled water is about 200 μM (9).

25 As the concentration of hGH in a preparation comprising 4 IU/ml is 1.3 mg/ml corresponding to 60nM hGH, oxygen will, at normal storing conditions, be present in an excess of about 3000 times the stoichiometric amount for oxidation of hGH. It is not feasible to try to solve the problem by degassing of 30 buffers before tapping and packing the preparations.

At present, it is not believed that these degradation products should have toxic or altered biological activity or receptor binding properties, but there is indication to the effect that the conformation stability of the sulfoxides is reduced as compared to native hGH.

For the development of a stable, dissolved preparation comprising hGH it is of importance to know the rate of formation of sulfoxides as well as means to control the oxidation.

The kinetics of degradation depend on temperature, pH and 10 various additives or adjuvants in the hGH formulation.

Due to the instability, growth hormone is, at present, lyophilized and stored in the lyophilized form at 4°C until it is reconstituted for use in order to minimize the degradation.

15 The lyophilized pharmaceutical preparations comprising hGH are, at present, reconstituted by the patient and then stored as a solution during the use for a period of up to 14 days at 4°C, during which some degradation will take place.

Furthermore, the process of reconstitution of the lyophilized 20 growth hormone tends to provide difficulties for the patient.

Thus, it is at present preferred to reconstitute the growth hormone as late as possible before use and to store and ship the preparation in a lyophilized state. The chain from the manufactorer to the pharmacy is apt for handling the preparations at a controlled low temperature of e.g. 4°C which allows for a long shelf life of up to two years.

However, the extended use of pen systems for self-medication and the expanded field of use calls for a preparation which is stable for a sufficient long time with the end user under

conditions where "sufficient" cooling is not always available.

Preferably, a preparation should be stable with the end user in a lyophilized state for about one month and additionally 5 for one month in a reconstituted state in a pen device for the intended period of use of a cartridge.

Thus, there is a need for more stable preparations of growth hormone being stable in a lyophilized state at a relative high temperature for a period and additionally for a period of use at a relatively high temperature in solution. Such stabilization is of very great importance when moving the administration of the growth hormone from clinics to the homes of the individuals to be treated where optimal storage may not be available as indicated above.

15 Furthermore, the shift in pattern of administration of growth hormone to the use of pen devices calls for a stable dissolved preparation comprising growth hormone in order to facilitate the handling to be performed by the patient. A stable dissolved preparation comprising growth hormone may be produced ready to use in the form of cartridges fitting into the pen device used by the patient who may then avoid the reconstitution of the preparation and, hence, will not have to be in the possession of a lyophilized preparation, a suitable vehicle for reconstitution as well as the necessary skill and 25 sterile equipment for sterile reconstitution of the preparation.

For safety reasons it will also be desirable to avoid the reconstitution of a lyophilized preparation just before the use of the preparation.

٩

30 Furthermore, it would also be an advantage to avoid the lyophilization step in the production of growth hormone preparations. Lyophilization is a time consuming and costly process and is also often a "bottleneck" in the production due to the limited capacity of the freeze drier.

Thus, there is a need to reduce the rate of the degradation processes in order to allow for dissolved hGH preparations 5 being stable during shelf life and during the period of use of up to one month.

Prior attempts to stabilize hGH has not fully succeded in preventing the formation of dimer. The problems associated with dimer formation is e.g noted in Becker, G.W., <u>Biotech</u>10 nology and <u>Applied Biochemistry</u> 9, 478 (1987).

International Patent Publication No. WO 89/09614 and Australian patent application No. 30771/89 disclose a stable pharmaceutical formulation containing human growth hormone, glycine, and mannitol. Such a preparation shows improved stability during normal processing and storage in a lyophilized state as well as in the period of use after the reconstitution.

Published European patent application No. 303 746 discloses that animal growth hormone may stabilized with various stabi-20 lizers to give decreased formation of insolubles and preservation of the soluble activity in aqueous environments, such stabilizers including certain polyols, amino acids, polymers of amino acids having a charged side group at physiological pH, and choline salts. Polyols are selected from the group 25 consisting of non-reducing sugars, sugar alcohols, sugar acids, pentaerythritol, lactose, water-soluble dextrans and Ficoll; amino acids are selected from the group consisting of glycine, sarcosine, lysine or salts thereof, serine, arginine or salts thereof, betaine, N,N,-dimethyl-glycine, aspartic 30 acid or salts thereof, glutamic acid or salts thereof; a polymer of an amino acid having a charged side group at physiological pH may be selected from polylysine, polyaspartic acid, polyglutamic acid, polyarginine, polyhistidine, polyornithine and salts thereof; and choline derivatives are selected from the group consisting of choline chloride, choline dihydrogen citrate, choline bitartrate, choline bicarbonate, tricholine citrate, choline ascorbate, choline borate, choline phosphate, di(choline) sulphate and dicholine mucate.

\$

BRIEF DESCRIPTION OF THE INVENTION

It has now surprisingly been found that a preparation of human growth hormone comprising asparagin as additive or buf10 fering substance shows a very high stability against deamidation, oxidation and cleavage of peptide bonds. The stability of the product allows for the storing and shipment thereof in a lyophilized state or in the form of a dissolved or re-dissolved preparation.

15 Thus, the preparation of the invention may be in the form of a lyophilized powder to be reconstituted later using conventional vehicles such as distilled water or water for injection or in the form of a solution comprising growth hormone. Such vehicles may comprise conventional preservatives such as 20 m-cresol and benzyl alcohol.

A preferred embodiment of the invention is in the form of a pharmaceutical preparation of human growth hormone comprising asparagine in the form of a buffered aqueuos solution of growth hormone buffered with asparagine buffer. Such preparation is in a ready-to-use form and may be stored and shipped as an aqueous solution without any considerable degradation.

For stability reasons the pH of a solution is preferably adjusted to a value in the interval from 2-8. Preparations having a pH from 5 to 8 are more preferred and most preferred are preparations having a pH from 6 to 7.5.

In order to obtain the stabilizing effect aparagine is preferably added in an amount of up to 100 mM. The concentration of asparagine is preferably on the interval from 2 to 20 mM, most preferred from 2 to 10 mM

5 The pharmaceutical preparation of the invention may also be in the form of a lyophilized preparation.

The pharmaceutical preparation og the invention may furthermore comprise salts and saccharides in order to facilitate the processing thereof, e.g. lyophilization. Conventionally 10 mannitol is used as a bulking agent for lyophilization.

Still another aspect of the invention relates to the use of asparagine for the preparation of a stabilized preparation of growth hormone.

In the present context "growth hormone" may be growth hormone 15 from any origin such as avian, bovine, equine, human, ovine, porcine, salmon, trout or tuna growth hormone, preferably bovine, human or porcine growth hormone, human growth hormone being most preferred. The growth hormone used in accordance with the invention may be native growth hormone isolated from 20 a natural source, e.g. by extracting pituitary glands in a conventional manner, or a growth hormone produced by recombinant techniques, e.g as described in E.B. Jensen and S. Carlsen in biotech and Bioeng. 36, 1-11 (1990). The "growth hormone" may also be a truncated form of growth hormone 25 wherein one or more amino acid residues has (have) been deleted; an analogue thereof wherein one or more amino acid residues in the native molecule has (have) been substituted by another amino acid residue, preferably a natural amino acid residue, as long as the substitution does not have any 30 adverse effect such as antigenicity or reduced action; or a derivative thereof, e.g having an N- or C-terminal extension such as Met-hGH, Met-Glu-Ala-Glu-hGH or Ala-Glu-hGH. The preferred growth hormone is hGH.

8

In the present context "high stability" is obtained when the preparation is more stable than the conventional formulation comprising phosphate buffer.

The term "salts" used in this specification to designate ad5 ditional constituents of a pharmaceutical preparation comprises conventional such salts such as alkaline metal, alkaline
earth metal or ammonium salts of organic acids such as citric
acid, tartaric acid, or acetic acid, e.g. sodium citrate,
sodium tartrate or sodium acetate, or of mineral acids such
10 as hydrochloric acid, e.g. sodium chloride.

"Saccharides" may be monosaccharides, disaccharides or sugar alcohols which are conventionally used for pharmaceutical preparations such as lactose and mannitol.

The solvent used in the preparations of the invention may be 15 water, alcohols such as ethyl, n-propyl or isopropyl, butyl alcohol or mixtures thereof. The solvent may comprise a preservative such as m-cresol or benzyl alcohol.

DETAILED DESCRIPTION OF THE INVENTION

The invention is explained more in detail in the below Exam-20 ples which illustrate the invention. They are not to be considered as limiting the scope of the invention being defined by the appended claims.

EXPERIMENTAL PART

EXAMPLE

25 Reduction of the deamidation.

9

The rate of deamidation was examined at 25°C for hGH preparations comprising 6 IU hGH at pH 6.5 in the presence of 10 mM Asn as compared to 8 mM phosphate buffer at the same pH and pH 7.3.

- 5 The hGH preparations were prepared by dissolving 20 mg hGH in 10~ml of 10 mM asparagine solution prepared by dissolving 13.2~mg, of asparagine in 10 ml deionized water containing 0.9%~(V/V) of benzyl alcohol and adding 0.1~N hydrochloric acid to the stated pH.
- 10 The hGH formulations stated in the below Table were stored at 25°C and analyzed for the desamido contents after 14 and 30 days by IE-HPLC. The results appear from the below Table.

Table.

Contents of desamido hGH as determined by IE-HPLC as a function of the formulation and the time in solution at 25°C:

5	Formulation (*)	Formation of desamido at 25°C 14 days (')	compound 30 days
	8 mM di-Na-Phosfat pH 6.5		10.8
10	8 mM di-Na-Phosfat pH 7.3	15.2	20.3
	8 mM di-Na-phosfat pH 6.5, 0.3% m-cresol	9.4	13.2
15	10 mM Asp, pH 6.5	21.7	nd
	10 mM Asn, pH 6.5	6.5	8.3
	10 mM Glu, pH 6.5	14.8	nd

^{*:} Comprises 0.9% benzyl alcohol except formulation # 3.
The contents of desamido-hGH in starting material was: 2.1 %

20 From the above Table it appears that the de-amidation of hGH is reduced by approximately 25% by the addition of asparagine as compared with phosphate buffer at ph 6.5.

Addition of Asp or Glu increases the rate of deamidation as compare to phosphate at pH 6.5.

25 The above results show that the rate of de-amidation is reduced by lowering the pH and by adding asparagine in a low con-

4

centration of up to 100 mM, preferably about 5mM. The rate of de-amidation may be reduced by more than 50% by lowering the pH and substituting the phosphate buffer with asparagine.

The use of m-cresol or benzyl alcohol as preservative seems 5 to have no influence on the rate of de-amidation.

Split-formation (hydrolysis of peptide bonds) is reduced by asparagine at pH 6.5 in comparison with phosphate.

REFERENCES

- 1) Y.-C.J. Wang and M.A. Hanson. Parenteral Formulations
 10 of Proteins and Peptides: Stability and Stabilizers.
 J. Parenteral Science and Technology 42 (Suppl.)
 (1988) 53-525.
- 2) M.C. Manning, K. Patel, R.T. Borchardt. Stability of Protein Pharmaceuticals. Pharmaceutical Research 6 (11) (1989) 903-918.
 - B.A. Johnson, J.M. Shirokawa, W.S. Hancock, M.W. Spellman, L.J. Basa and D.W. Asward. J.Biol.Chem. 264, 1462-71 (1989).
 - 4) L.C. Teh et al., J.Biol.Chem., 262, 785-794 (1987).
- 20 5) G.W. Becker et al., Biotech.Appl.Biochem., 10, 326-337 (1988).
 - 6) R.A. Houghten et al., Arch.Biochem.Biophys., 178, 350-355 (1977).
- 7) R.M. Riggin et al., Anal.Biochem., 167, 199-209 25 (1987).

12

8). P. Gellerfors et al., Acta Paediatr.Scand (suppl), 370, 93-100 (1990).

9) M.J. Kaufman, Pharm.Res., 7 (3) 289-292 (1990).

*

CLAIMS

- 1. A pharmaceutical preparation comprising a growth hormone and asparagine.
- 2. A pharmaceutical preparation as claimed in claim 1 in the 5 form of a buffered aqueuos solution of growth hormone containing asparagine.
 - 3. A pharmaceutical preparation as claimed in claim 1 or 2 wherein the pH is adjusted to a value in the interval 2-8.
- 4. A pharmaceutical preparation as claimed in claim any of 10 the preceding claims wherein the concentration of asparagine is up to 100 mM.
 - 5. A pharmaceutical preparation as claimed in claim any of the preceeding claims further comprising salts and saccharides.
- 15 6. A pharmaceutical preparation as claimed in any of claims 1-6 wherein the growth hormone is hGH.
 - 7. Use of asparagine for the preparation of a stabilized preparation of growth hormone.

INTERNATIONAL SEARCH REPORT

International application No. PCT/DK 92/00378

A. CLASS	SIFICATION OF SUBJECT MATTER		
TDCE. A	61V 37/36		
According to	61K 37/36 o International Patent Classification (IPC) or to both na	tional classification and IPC	
	OS SEARCHED	classification symbols	
Minimum de	ocumentation searched (classification system followed by	describer of model	
	61K, C07K		-1 - 5-14b- ¹
Documentat	ion searched other than minimum documentation to the	extent that such documents are included in	the fields searched
SE,DK,F	I,NO classes as above		
Electronic d	ata base consulted during the international search (name	of data base and, where practicable, search	terms used)
MEDLINE	, WPI, BIOSIS, CLAIMS		
	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Х	EP, A2, 0374120 (MONSANTO COMPAN	Y), 20 June 1990	1-7
	(20.06.90), whole document,	spherially craim to	
x	US, A, 4816568 (HAMILTON, JR. ET	AL),	1-7
	28 March 1989 (28.03.89), co line 67 - column 3, line 16;	lumn 2,	
	line 36 - line 44, claims I	7,27	
[1	1-7
X	US, A, 4917685 (VISWANATHAN ET A (17.04.90)	L), 1/ April 1990	1-/
Furth	er documents are listed in the continuation of Box		
	categories of cited documents: ent defining the general state of the art which is not considered	"T" later document published after the int date and not in conflict with the appli the principle or theory underlying the	cation but cited to understand
to be o	f particular relevance locument but published on or after the international filing date	"X" document of particular relevance: the considered novel or cannot be considered.	claimed invention cannot be
"L" docume	ent which may throw doubts on priority claim(s) or which is o establish the publication date of another citation or other	step when the document is taken alon	e
special	reason (as specified) ent referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive ste combined with one or more other suc	p when the document is
"P" docum	ent published prior to the international filing date but later than	being obvious to a person skilled in th	ae art
1	e actual completion of the international search	"&" document member of the same patent Date of mailing of the international	
Date of th	c actual completion of the meanational socion	1 3 -04- 1993	
7 April	1993		
Name and	mailing address of the ISA/	Authorized officer	
Box 5055	Patent Office , S-102 42 STOCKHOLM	Jonny Brun	
	No. +46 8 666 02 86	Telephone No. +46 8 782 25 00	

INTERNATIONAL SEARCH REPORT

Information on patent family members

26/02/93

International application No. PCT/DK 92/00378

Patent docu		Publication date		nt family ember(s)	Publication date
	374120	20/06/90	AU-A- CA-A- JP-A-	4617689 2005226 2204418	21/06/90 13/06/90 14/08/90
US-A- 4	816568	28/03/89	NONE		
 US-A- 4	917685	17/04/90	NONE		